

# SAFETY DATA SHEET

according to Regulation (EU) 2015/830

Page 1/5

## Fabulosa Antibacterial Multipurpose Polish

Revision 0  
Revision date 2021-02-09

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product name	Fabulosa Antibacterial Multipurpose Polish
--------------	--

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Product Use	[SU3] Industrial uses: Uses of substances as such or in preparations at industrial sites; [PC35] Washing and cleaning products (including solvent based products);
-------------	--

#### 1.3. Details of the supplier of the safety data sheet

Company	Active Brand Concepts Ltd
Address	The Forge Crewe Hall Farm Crewe Cheshire CW1 5UE
Web	www.homecareproducts.co.uk
Telephone	0844 335 0816
Fax	0844 335 0854
Email	sales@active-brand-concepts.com
Email address of the competent person	sales@active-brand-concepts.com

#### Local Supplier

Company	Active Air Products Ltd
Address	Unit 13 Queensway Industrial Estate Queensway Wrexham LL13 8YR United Kingdom
Web	www.activeairproduts.com
Telephone	0844 335 0816
Fax	0844 335 0854
Email	sales@active-brand-concepts.com
Email address of the competent person	sales@active-brand-concepts.com

#### 1.4. Emergency telephone number

Emergency telephone number	08443350816
Company	James Sharpe 8.30 - 5

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

--


# Fabulosa Antibacterial Multipurpose Polish

Revision 0

Revision date 2021-02-09

## 2.1. Classification of the substance or mixture

## 2.2. Label elements

Hazard pictograms	
Signal Word	<b>DANGER</b>
Hazard Statement	Flam. Liq. 3: H222 - Extremely flammable aerosol.
Precautionary Statement: Prevention	H229 - Pressurised container: may burst if heated.. H319 Causes serious eye irritation. P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. H229 - Pressurised container: may burst if heated.. H319 Causes serious eye irritation. P211 - Do not spray on an open flame or other ignition source. P251 - Do not pierce or burn, even after use.
Precautionary Statement: Response	P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P410+P412 - Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F. P260 - Do not breathe vapour/spray. P271 - Use only outdoors or in a well-ventilated area.
Precautionary Statement: Storage	P102 - Keep out of reach of children.
Precautionary Statement: Disposal	P501 - Dispose of contents/ container in accordance with local regulations.

## SECTION 3: Composition/information on ingredients

### 3.2. Mixtures

#### EC 1272/2008

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification
Ethanol	603-002-00-5	64-17-5	200-578-6		1 - 10%	Flam. Liq. 2: H225;
Propane	601-003-00-5	74-98-6	200-827-9		1 - 10%	Flam. Gas 1: H220;
Butane	601-004-00-0	106-97-8	203-448-7		1 - 10%	Flam. Gas 1: H220;
Benzalkonium Chloride		68424-85-1			0 - 0.5%	Met. Corr. 1: H290; Acute Tox. 4: H302; Skin Corr. 1A: H314; Aquatic Chronic 1: H410;

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

Inhalation	Irritating to respiratory system. Inhalation may cause coughing, tightness of the chest and irritation of the respiratory system. Move the exposed person to fresh air. Seek medical attention.
Eye contact	Irritating to eyes. Rinse immediately with plenty of water for 15 minutes holding the eyelids open. Seek medical attention if irritation or symptoms persist.
Skin contact	Irritating to skin. Wash off immediately with plenty of soap and water. Remove contaminated clothing. Seek medical attention if irritation or symptoms persist.
Ingestion	Ingestion may cause nausea and vomiting. Seek medical attention if irritation or symptoms persist. <b>DO NOT INDUCE VOMITING.</b>

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

Carbon oxides.
----------------

# Fabulosa Antibacterial Multipurpose Polish

Revision 0

Revision date 2021-02-09

## 5.2. Special hazards arising from the substance or mixture

Burning produces irritating, toxic and obnoxious fumes.

## 5.3. Advice for firefighters

Wear suitable respiratory equipment when necessary.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation of the working area. Wear suitable protective equipment.

### 6.2. Environmental precautions

Do not allow product to enter drains. Prevent further spillage if safe.

### 6.3. Methods and material for containment and cleaning up

Absorb with inert, absorbent material. Sweep up. Transfer to suitable, labelled containers for disposal. Clean spillage area thoroughly with plenty of water.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Avoid contact with eyes and skin. Ensure adequate ventilation of the working area. Adopt best Manual Handling considerations when handling, carrying and dispensing.

### 7.2. Conditions for safe storage, including any incompatibilities

Keep in a cool, dry, well ventilated area. Keep containers tightly closed. Store in correctly labelled containers.

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### 8.1.1. Exposure Limit Values

Butane	WEL 8-hr limit ppm: 600	WEL 8-hr limit mg/m3: 1450
	WEL 15 min limit ppm: 750	WEL 15 min limit mg/m3: 1810
	WEL 8-hr limit mg/m3 total - inhalable dust:	WEL 15 min limit mg/m3 total - inhalable dust:
	WEL 8-hr limit mg/m3 total - respirable dust:	WEL 15 min limit mg/m3 total - respirable dust:
Ethanol	WEL 8-hr limit ppm: 1000	WEL 8-hr limit mg/m3: 1920
	WEL 15 min limit ppm: -	WEL 15 min limit mg/m3: -
	WEL 8-hr limit mg/m3 total - inhalable dust:	WEL 15 min limit mg/m3 total - inhalable dust:
	WEL 8-hr limit mg/m3 total - respirable dust:	WEL 15 min limit mg/m3 total - respirable dust:

### 8.2. Exposure controls

#### 8.2.1. Appropriate engineering controls

Ensure adequate ventilation of the working area.

#### 8.2.2. Individual protection measures

Wear chemical protective clothing.

#### Eye / face protection

Approved safety goggles.

#### Skin protection - Handprotection

Chemical resistant gloves (PVC).

#### Respiratory protection

Wear: Suitable respiratory equipment.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

# Fabulosa Antibacterial Multipurpose Polish

 Revision 0  
 Revision date 2021-02-09

## 9.1. Information on basic physical and chemical properties

Appearance	Liquid
Colour	Clear
Odour	Characteristic
Flash point	40 °C
Vapour pressure	> 590 Pa
Vapour density	1.5 g/cm <sup>3</sup>
Relative density	0.99 - 1.01 (H <sub>2</sub> O = 1 @ 20 °C)
Autoignition temperature	> 410 °C
Explosive properties	<
Solubility	Soluble in water

## SECTION 10: Stability and reactivity

### 10.2. Chemical stability

Stable under normal conditions.

## SECTION 11: Toxicological information

### 11.1.4. Toxicological Information

No data available

## SECTION 12: Ecological information

### 12.1. Toxicity

No data available

## SECTION 13: Disposal considerations

### General information

Dispose of in compliance with all local and national regulations.

## SECTION 14: Transport information

### Hazard pictograms



### 14.1. UN number

UN1950

### 14.2. UN proper shipping name

AEROSOLS

### 14.3. Transport hazard class(es)

ADR/RID	2
Subsidiary risk	see SP63
IMDG	2
Subsidiary risk	see SP63
IATA	2
Subsidiary risk	see SP63

### 14.4. Packing group

Packing group -

# Fabulosa Antibacterial Multipurpose Polish

Revision 0

Revision date 2021-02-09

## 14.5. Environmental hazards

Environmental hazards	No
Marine pollutant	No

## ADR/RID

Hazard ID	-
Tunnel Category	(D)

## IMDG

EmS Code	F-D S-U
----------	---------

## IATA

Packing Instruction (Cargo)	203
Maximum quantity	150 kg
Packing Instruction (Passenger)	203
Maximum quantity	75 kg

## Further information

	The product is not classified as dangerous for carriage.
--	--

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulations	COMMISSION REGULATION (EU) No 453/2010 of 20 May 2010 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC. REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.
-------------	--

## SECTION 16: Other information

### Other information

Text of Hazard Statements in Section 3	Flam. Liq. 2: H225 - Highly flammable liquid and vapour. Flam. Gas 1: H220 - Extremely flammable gas. Met. Corr. 1: H290 - May be corrosive to metals. Acute Tox. 4: H302 - Harmful if swallowed. Skin Corr. 1A: H314 - Causes severe skin burns and eye damage. Aquatic Chronic 1: H410 - Very toxic to aquatic life with long lasting effects.
--	---

### Further information

	The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process.
--	--